

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5111	trench\$2 adj capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 13:02
L2	2158	1 and trench\$2.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 13:02
L3	1780	2 and transistor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 13:02
L4	842	3 and (filling near7 trench\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 13:04
L5	428	4 and (dielectric and metal\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 13:04
L6	130	5 and (silicate or ZrO or HfO or yttrium or zirconium or hafnium or lanthanum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 13:07
L7	3941	6 (filling same (silicate or ZrO or HfO or yttrium or zirconium or hafnium or lanthanum))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 13:08
L8	17	6 and (filling same (silicate or ZrO or HfO or yttrium or zirconium or hafnium or lanthanum))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 14:33
L9	5111	trench\$2 adj capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 14:34

EAST Search History

L10	1644	9 and ((charge\$2 near2 stor\$3) or (storage adj dielectric))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 14:35
L11	332	10 and ((high adj2 constant) or (high adj2 k))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 14:37
L12	179	11 and (trench\$2.clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 14:37
L13	152	12 and transistor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 14:37
L14	142	13 and (dielectric.clm. or gate.clm. or filling.clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 14:38
L15	131	14 and (filling.clm. or dielectric.clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 14:38
L16	130	15 and (trench\$2 same (dielectric or filling or insulat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 14:39
L17	122	15 and (trench\$2 near10 (dielectric or filling or insulat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 14:40
L18	54	17 and (tantalum or alumium or hafnium or zirconium or lanthanm or yttrium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 14:41
L19	34	18 and ((trench\$2 or filling or dielectric) near10 (tantalum or alumium or hafnium or zirconium or lanthanm or yttrium))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 16:39

EAST Search History

L20	2	("5442585").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 16:41
L21	0	10 and (unstable near4 temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 16:42
L22	434	10 and ((high or low) adj2 temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 16:46
L23	50	22 and ((filing or dielectric or insulat\$3) near10 (high adj temperature))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 16:47
L24	32	23 and trench\$2.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 16:47
L25	29	24 and (dielectric.clm. or insulat\$3. clm. or filling.clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 16:48
L26	15	25 and ((high adj k) or (high adj dielectric))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 16:48
L27	7	25 and (strontium or zirconium or hafnium or lanthanum or yttrium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 16:52
L28	9	22 and (sensitive near4 temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 16:52